

BẢNG GIÁ HÀNG LS SẢN XUẤT TẠI HÀN QUỐC (VNĐ)
 (Áp dụng từ ngày 15-04-2017)



MCCB (APTONAUT) loại 2 Pha				MCCB (APTONAUT) loại 4 Pha			
Tên hàng	In (A)	Icu(KA)	Giá bán	Tên hàng	In (A)	Icu(KA)	Giá bán
ABN52c	15-20-30-40-50A	30	590,000	ABN54c	15-20-30-40-50A	18	1,020,000
ABN62c	60A	30	700,000	ABN104c	15,20,30,40,50,60,75,100A	22	1,220,000
ABN102c	15-20-30-40-50-60-75-100A	35	795,000	ABN204c	125,150,175,200,225,250A	30	2,280,000
ABN202c	125-150-175-200-225-250A	65	1,455,000	ABN404c	250-300-350-400A	42	5,500,000
ABN402c	250-300-350-400A	50	3,600,000	ABN804c	500-630	45	10,400,000
ABS32c	10~30A	25	630,000	ABN804c	700-800A	45	12,290,000
ABS52c	30~50A	35	680,000	ABS104c	30,40,50,60,75,100,125A	42	1,600,000
ABS102c	40-50-60-75-100-125A	85	1,150,000	ABS204c	150,175,200,225,250A	42	2,700,000
ABS202c	125-150-175-200-225-250A	85	1,700,000	ABS404c	250-300-350-400A	65	6,250,000
BS32c (ko vỏ)	6-10-15-20-30A	1.5	80,000	ABS804c	500-630A	75	13,950,000
BS32c w/c (có vỏ)	6-10-15-20-30A	1.5	93,000	ABS804c	800A	75	15,950,000
MCCB (APTONAUT) loại 3 Pha				ABS1004b	1000A	65	26,500,000
ABN53c	15-20-30-40-50A	18	690,000	ABS1204b	1200A	65	28,500,000
ABN63c	60A	18	810,000	TS1000N 4P	1000A	50	47,000,000
ABN103c	15,20,30,40,50,60,75,100A	22	920,000	TS1250N 4P	1250A	50	50,000,000
ABN203c	100,125,150,175,200,225,250A	30	1,750,000	TS1600N 4P	1600A	50	56,000,000
ABN403c	250-300-350-400A	42	4,400,000	ELCB (chống rò điện) loại 2 pha			
ABN803c	500-630A	45	8,700,000	Tên hàng	In (A)	Icu(KA)	Giá bán
ABN803c	700-800A	45	9,950,000	32GRc	15-20-30A	1.5	278,000
ABS33c	5A-10A	14	730,000	32GRhd	15-20-30A	2.5	253,000
ABS53c	15-20-30-40-50A	22	830,000	32KGRd	15-20-30A	2.5	278,000
ABS103c	15,20,30,40,50,60,75,100,125A	42	1,350,000	EBS52Fb	40-50A	5	490,000
ABS203c	125,150,175,200,225,250A	42	2,250,000	EBE102Fb	60-75-100A	5	875,000
ABS403c	250-300-350-400A	65	4,950,000	EBN52c	30-40-50A	30	1,220,000
ABS803c	500-630A	75	11,130,000	EBN102c	60-75-100A	35	1,630,000
ABS803c	700-800A	75	12,600,000	EBN202c	125,150,175,200,225,250A	65	3,580,000
ABS1003b	1000A	65	22,500,000	ELCB (chống rò điện) loại 3 pha			
ABS1203b	1200A	65	24,800,000	EBN53c	15,20,30,40,50A	14	1,550,000
TS1000N 3P	1000A	50	45,000,000	EBN103c	60,75,100A	18	1,900,000
TS1250N 3P	1250A	50	46,000,000	EBN203c	125,150,175,200,225,250A	26	4,120,000
TS1600N 3P	1600A	50	51,000,000	EBN403c	250-300-350-400A	37	7,800,000
TS1000H 3P	1000A	70	46,000,000	EBN803c	500-630A	37	14,000,000
TS1250H 3P	1250A	70	47,000,000	EBN803c	800A	37	17,000,000
TS1600H 3P	1600A	70	52,000,000	ELCB (chống rò điện) loại 4 cực			
TS1000L 3P	1000A	150	55,000,000	EBN104c	15,20,30,40,50,60,75,100A	18	2,750,000
MCCB (Aptomat) 3 Pha loại Chính dòng (0.7-0.85-1.0) x In max				EBS104c	15,20,30,40,50,60,75,100,125A	37	3,150,000
ABS103c FMU	20-25-32-40-50-63-80-100-125A	37	1,700,000	EBS204c	125,150,175,200,225,250A	37	6,150,000
ABS203c FMU	100-125-160-200-250A	37	2,400,000	EBN404c	250,300,350,400A	37	11,100,000
MCCB (Aptomat) 3 Pha loại Chính dòng (0.8~1) x In max				PHỤ KIỆN MCCB			
ABE 103G	63-80-100A	16	1,500,000	Handle (tay xoay gắn trực tiếp)	DH100-S for ABN103c	450,000	
ABS 103G	80-100A	25	1,650,000		DH125-S for ABS125c	470,000	
ABE 203G	125-200-250A	16	1,700,000		DH250-S for ABH250c	480,000	
ABS 203G	160-200-250A	25	2,220,000		N~70S for ABN403c	900,000	
PHỤ KIỆN MCCB					N~80S for ABN803c	920,000	
Shunt Trip (SHT) (Cuộn đóng ngắt)	ABN/S50~250AF	720,000	Extended Handle (tay xoay gắn ngoài)	EH100-S for ABN100c	660,000		
	ABN/S400~800AF	850,000		EH125-S for ABS125c	670,000		
	ABS1003b~1204b	900,000		EH250-S for ABN250c	690,000		
	TS1000~1600	920,000		E-70U-S for ABN403c	1,470,000		
Under Vol. Trip (UVT) Cuộn bảo vệ thấp áp	ABN/S50~250AF	900,000		E-80U-S for ABN803c	1,680,000		
	ABN/S400~800AF	970,000	Mechanical interlock (Khóa liên động)	MI-13S for ABN53~103c	600,000		
	ABS1003b~1204b	1,100,000		MI-23S for ABS103c	610,000		
Auxiliary switch (AX) (Tiếp điểm phụ)	TS1000~1600	1,200,000		MI-33S for ABN/S203c	620,000		
	ABN/S50~250AF	280,000		MI-43S for ABN/S403c	900,000		
	ABN/S400~800AF	420,000		MI-83S for ABN/S803c	1,000,000		
Alarm switch (AL) (Tiếp điểm cảnh báo)	ABS1003b~1204b	450,000	Tấm chắn pha: IB-13 for ABN52~103c				
	ABN/S50~250AF	280,000	Tấm chắn pha: IB-23 for ABS103c~ABN/S203c				
	ABN/S400~800AF	420,000	Tấm chắn pha: IBL-400 for ABN/S403c				
	ABS1003b~1204b	450,000	Tấm chắn pha: IBL800 for ABS803c/TS630				
AL/AX				Tấm chắn pha: Barrier insulation for ABS1200b			
- GHI CHÚ: Giá này chưa bao gồm VAT (10%)				Busbar ABN/S803c	500~800A	750,000	

0935.753.894 - dailydienchinhhang.com

---Trang 1 (MCCB)---

BẢNG GIÁ HÀNG LS - HÀN QUỐC (VND)

(Áp dụng từ ngày 15-04-2017)



MCB (CB tép)			
Tên hàng	In (A)	Icu(KA)	Giá bán
BKN 1P	6-10-16-20-25-32-40A	6KA	71,000
BKN 1P	50-63A	6KA	75,000
BKN 2P	6-10-16-20-25-32-40A	6KA	155,000
BKN 2P	50-63A	6KA	160,000
BKN 3P	6-10-16-20-25-32-40A	6KA	245,000
BKN 3P	50-63A	6KA	250,000
BKN 4P	6-10-16-20-25-32-40A	6KA	395,000
BKN 4P	50-63A	6KA	450,000
BKN-b 1P	6~40A	10KA	108,000
BKN-b 1P	50~63A	10KA	128,000
BKN-b 2P	6~40A	10KA	235,000
BKN-b 2P	50~63A	10KA	270,000
BKN-b 3P	6~40A	10KA	380,000
BKN-b 3P	50~63A	10KA	465,000
BKN-b 4P	6~40A	10KA	570,000
BKN-b 4P	50~63A	10KA	670,000
BKH 1P	80-100A	10KA	205,000
BKH 1P	125A	10KA	380,000
BKH 2P	80-100A	10KA	445,000
BKH 2P	125A	10KA	500,000
BKH 3P	80-100A	10KA	710,000
BKH 3P	125A	10KA	785,000
BKH 4P	80-100A	10KA	920,000
BKH 4P	125A	10KA	1,150,000

Surge Protective Device (Thiết bị chống sét) - 1,2,3,4 Pole

Tên hàng	Voltage protection	Icu(KA)	Giá bán
BKS-A 1P	AC220V, <1.2KV	10KA	690,000
BKS-A 2P	AC220V, <1.2KV	10KA	1,380,000
BKS-A 3P	AC220V, <1.2KV	10KA	2,070,000
BKS-A 4P	AC220V, <1.2KV	10KA	2,750,000
BKS-B 1P	AC220V, <1.5KV	20KA	750,000
BKS-B 2P	AC220V, <1.5KV	20KA	1,500,000
BKS-B 3P	AC220V, <1.5KV	20KA	2,240,000
BKS-B 4P	AC220V, <1.5KV	20KA	2,980,000
BKS-C 1P	AC220V, <1.5KV	40KA	910,000
BKS-C 2P	AC220V, <1.5KV	40KA	1,840,000
BKS-C 3P	AC220V, <1.5KV	40KA	2,750,000
BKS-C 4P	AC220V, <1.5KV	40KA	3,680,000
BKS-D 1P	AC380V, <2.0KV	60KA	1,140,000
BKS-D 2P	AC380V, <2.0KV	60KA	2,290,000
BKS-D 3P	AC380V, <2.0KV	60KA	3,430,000
BKS-D 4P	AC380V, <2.0KV	60KA	4,590,000
BKS-E 1P	AC380V, <2.5KV	70KA	1,310,000
BKS-E 2P	AC380V, <2.5KV	70KA	2,650,000
BKS-E 3P	AC380V, <2.5KV	70KA	3,960,000
BKS-E 4P	AC380V, <2.5KV	70KA	5,270,000

SWITCH DISCONNECTOR

Tên hàng	In (A)	Giá bán
BKD 1P	40,50,63,80,100A	70,000
BKD 2P	40,50,63,80,100A	140,000
BKD 3P	40,50,63,80,100A	225,000
BKD 4P	40,50,63,80,100A	315,000

- GHI CHÚ: Giá này chưa bao gồm VAT (10%)

RCCB (chống rò điện)			
Tên hàng	In (A)	Icu(KA)	Giá bán
RKP 1P+N	3-6-10-16-20-25-32A	4.5	350,000
RKS 1P+N	6-10-16-20-25-32A	10	730,000
RKN 1P+N	25-32-40A		570,000
RKN 1P+N	63A		580,000
RKN 3P+N	25-32-40A		720,000
RKN 3P+N	63A		800,000
RKN-b 1P+N	25-32-40A		680,000
RKN-b 1P+N	63A		750,000
RKN-b 1P+N	80~100A		850,000
RKN-b 3P+N	25-32-40A		960,000
RKN-b 3P+N	63A		1,060,000
RKN-b 3P+N	80~100A		1,250,000

Surge Protective Device - Single phase 2W+G (SPL)			
Tên hàng	Voltage protection	Icu(KA)	Giá bán
SPL-110S	AC110V/220V, < 1.5KV	20KA	2,580,000
SPL-220S	AC220V, < 1.5KV	40KA	5,160,000
SPL-220S	AC220V, < 1.5KV	80KA	6,890,000

Surge Protective Device - Three phase 3W+G (SPT) AC 380V			
Tên hàng	Voltage protection	Icu(KA)	Giá bán
SPT-380S	AC380V, < 2.0KV	40KA	7,470,000
SPT-380S	AC380V, < 2.0KV	80KA	9,180,000
SPT-380S	AC380V, < 2.0KV	120KA	12,620,000
SPT-380S	AC380V, < 2.0KV	160KA	15,490,000

Surge Protective Device - Three phase 3W+G (SPT) AC 440V			
Tên hàng	Voltage protection	Icu(KA)	Giá bán
SPT-440S	AC440V, < 2.0KV	40KA	7,470,000
SPT-440S	AC440V, < 2.0KV	80KA	9,180,000
SPT-440S	AC440V, < 2.0KV	120KA	12,620,000
SPT-440S	AC440V, < 2.0KV	160KA	15,490,000

Surge Protective Device - Three phase 4W+G (SPY)			
Tên hàng	Voltage protection	Icu(KA)	Giá bán
SPY-220S	AC220/380V, < 2.0KV	40KA	6,890,000
SPY-220S	AC220/380V, < 2.0KV	80KA	9,180,000
SPY-220S	AC220/380V, < 2.0KV	120KA	12,620,000
SPY-220S	AC220/380V, < 2.0KV	160KA	15,490,000
SPY-220S	AC220/380V, < 2.0KV	200KA	15,600,000
SPY-220S	AC220/380V, < 2.0KV	240KA	15,800,000

PHỤ KIỆN MCB			
Tên hàng	Kích thước	Giá bán	
Auxiliary switch: AX for BKN		165,000	
Alarm switch: AL for BKN		165,000	
Auxiliary switch: AX for BKN-b		195,000	
Alarm switch: AL for BKN-b		195,000	
Shunt for BKN		205,000	
OVT/UVT for BKN		330,000	

MCB Box - Hộp phân phối từ 9 đến 32 nhánh			
Tên hàng	Kích thước	Giá bán	
LSLB1-09A	240x200x75	390,000	
LSLB1-12A	295x230x75	420,000	
LSLB1-16A	366x230x75	520,000	
LSLB1-20A	438x230x75	660,000	
LSLB1-24A	295x460x75	920,000	
LSLB1-32A	366x460x75	1,120,000	

BẢNG GIÁ HÀNG LS SẢN XUẤT TẠI HÀN QUỐC (VNĐ)
 (Áp dụng từ ngày 15-04-2017)



KHỞI ĐỘNG TỪ 3 PHA (CONTACTOR 3 POLES) - AC Coil		
Tên hàng	In (A)	Giá bán
MC-6a ⁽¹⁾	6A (1a)	250,000
MC-9a ⁽¹⁾	9A (1a)	270,000
MC-12a ⁽¹⁾	12A (1a)	280,000
MC-18a ⁽¹⁾	18A (1a)	435,000
MC-9b ⁽²⁾	9A (1a1b)	280,000
MC-12b ⁽²⁾	12A (1a1b)	315,000
MC-18b ⁽²⁾	18A (1a1b)	455,000
MC-22b ⁽²⁾	22A (1a1b)	560,000
MC-32a ⁽²⁾	32A (2a2b)	820,000
MC-40a ⁽²⁾	40A (2a2b)	970,000
MC-50a ⁽³⁾	50A (2a2b)	1,160,000
MC-65a ⁽³⁾	65A (2a2b)	1,320,000
MC-75a ⁽⁴⁾	75A (2a2b)	1,500,000
MC-85a ⁽⁴⁾	85A (2a2b)	1,830,000
MC-100a ⁽⁴⁾	100A (2a2b)	2,400,000
MC-130a ⁽⁵⁾	130A (2a2b)	2,900,000
MC-150a ⁽⁵⁾	150A (2a2b)	3,700,000
MC-185a ⁽⁶⁾	185A (2a2b)	4,800,000
MC-225a ⁽⁶⁾	225A (2a2b)	5,600,000
MC-265a ⁽⁷⁾	265A (2a2b)	7,700,000
MC-330a ⁽⁷⁾	330A (2a2b)	8,400,000
MC-400a ⁽⁷⁾	400A (2a2b)	9,550,000
MC-500a ⁽⁸⁾	500A (2a2b)	19,000,000
MC-630a ⁽⁸⁾	630A (2a2b)	20,000,000
MC-800a ⁽⁸⁾	800A (2a2b)	25,500,000

RO' LE NHIỆT		
Tên hàng	In (A)	Giá bán
MT-12 ⁽¹⁾	0.63~18A	248,000
MT-32 ⁽²⁾	0.63~19A	280,000
MT-32 ⁽²⁾	21.5~40A	295,000
MT-63 ⁽³⁾	34-50, 45-65A	635,000
MT-95 ⁽⁴⁾	54-75, 63-85, 70-95, 80-100A	915,000
MT-150 ⁽⁵⁾	80-105A, 95-130A, 110-150A	1,380,000
MT-225 ⁽⁶⁾	85-125, 100-160, 120-185, 160-240A	2,450,000
MT-400 ⁽⁷⁾	200-330A và 260-400A	3,580,000
MT-800 ⁽⁸⁾	400-630A và 520-800A	6,580,000

RO' LE ĐIỆN TỬ - Electric motor protection relays

GMP22-2P (1a1b)	0.3~1.5A, 1~5A, 4.4~22A	680,000
GMP22-3P (1a1b)	0.3~1.5A, 1~5A, 4.4~22A	980,000
GMP40-2P (1a1b)	4~20A, 8~40A	710,000
GMP40-3P (1a1b)	4~20A, 8~40A	1,000,000

(1) MT-12 dùng cho từ MC-6a đến MC-18a gồm các loại

tùy: 0.63-1A; 1-1.6A; 1.6-2.5A; 2.5-4A; 4-6A; 5-8A; 6-9A;

7-10A; 9-13A; 12-18A;

(2) MT-32 dùng cho MC-9b đến MC-40a gồm các loại tùy:

0.63-1A; 1-1.6A; 1.6-2.5A; 2.5-4A; 4-6A; 5-8A; 6-9A;

16-22A; 18-25A; 22-32A; 28-40A;

(3) MT-63 dùng cho MC-50a và MC-65a

(4) MT-95 dùng cho MC-75a, MC-85a và MC-100a

(5) MT-150a dùng cho MC-130 & MC-150a

(6) MT-225 dùng cho MC-185a và MC-225a

(7) MT-400 dùng cho MC-265a, MC-330a và MC-400a

(8) MT-800 dùng cho MC-500a, MC-630a và MC-800a

* GMP22 dùng cho MC-9b~22b, GMP40 dùng cho MC32a-40a

TU BÙ (CAPACITOR FOR CONTACTOR)		
AC-9	MC-6a~40a	346,000
AC-50	MC-50a~65a	430,000
AC-75	MC-75a~100a	440,000

TIẾP ĐIỂM PHỤ

UA-1 (bên hông)	1NO+1NC dùng cho MC-6a~150a	75,000
UA-2 (bên trên)	1NO+1NC dùng cho MC-6a~150a	75,000
UA-4 (bên trên)	2NO+2NC dùng cho MC-6a~150a	130,000
AU-100 (bên hông)	1NO+1NC dùng cho MC-185a~800a	190,000

KHÓA LIÊN ĐỘNG

UR-2	MC-6a~150a	165,000
AR-180	MC-185a~400a	660,000
AR-600	MC-500a~800a	9,800,000

CONTACTOR RELAYS		
MR-4 (2NO+2NC)	4 Poles AC	378,000
MR-6 (3NO+3NC)	6 Poles AC	452,000
MR-8 (4NO+4NC)	8 Poles AC	525,000
MR-4 (2NO+2NC)	4 Poles DC	415,000
MR-6 (3NO+3NC)	6 Poles DC	488,000
MR-8 (4NO+4NC)	8 Poles DC	567,000

- GHI CHÚ: Giá này chưa bao gồm VAT (10%)

CUỘN HÚT KHỞI ĐỘNG TỪ		
Coil for MC6a, 9a, 12a, 18a, 9b, 12b, 18b, 22b		138,000
Coil for MC32a, 40a		138,000
Coil for MC-50a, 65a		196,000
Coil for MC-75a, 85a, 100a		235,000
Coil for MC-130a, 150a		1,150,000
Coil for MC-185a, 225a		1,480,000
Coil for MC-330a, 400a		2,620,000
Coil for MC-630a, 800a		3,520,000

DÂY ĐẦU NỐI LIÊN ĐỘNG (WIRE ASS'Y for UR-2)

UW-18 dùng cho MC-6a~18a	200,000
UW-22 dùng cho MC-9b~22b	200,000
UW-32 dùng cho MC-32a & 40a	220,000
UW-63 dùng cho MC-50a & 65a	260,000
UW-95 dùng cho MC-75a ~ 100a	510,000

HỘP CHO KHỞI ĐỘNG TỪ (Encloser)

MW-9bB~22bB	Steel dùng cho MC-6a~22b	550,000
MW-32aB/40aB	Steel dùng cho MC-32a, 40a	750,000
MW-50aB/65aB	Steel dùng cho MC-50a, 65a	970,000
MW-75aB~100aB	Steel dùng cho MC-75a~100a	1,020,000

BẢNG GIÁ HÀNG LS SẢN XUẤT TẠI HÀN QUỐC (VNĐ)
 (Áp dụng từ ngày 15-04-2017)



ACB METASOL 3 Pha (loại FIXED)				ACB METASOL 3 POLES (DRAW OUT)			
Tên hàng	In (A)	Icu(KA)	Giá bán	Tên hàng	In (A)	Icu(KA)	Giá bán
AN-06D3-06H	630A	65	45,000,000	AN-06D3-06A	600A	65	60,000,000
AN-08D3-08H	800A	65	49,000,000	AN-08D3-08A	800A	65	61,000,000
AN-10D3-10H	1000A	65	49,500,000	AN-10D3-10A	1000A	65	62,000,000
AN-13D3-13H	1250A	65	50,000,000	AN-13D3-13A	1250A	65	63,000,000
AN-16D3-16H	1600A	65	52,000,000	AN-16D3-16A	1600A	65	64,000,000
AS-20E3-20H	2000A	85	63,000,000	AS-20E3-20A	2000A	85	74,000,000
AS-25E3-25H	2500A	85	80,000,000	AS-25E3-25A	2500A	85	93,000,000
AS-32E3-32H	3200A	85	91,000,000	AS-32E3-32A	3200A	85	112,000,000
AS-40E3-40H	4000A	85	155,000,000	AS-40E3-40A	4000A	85	170,000,000
AS-40F3-40H	4000A	100	160,000,000	AS-40F3-40A	4000A	100	185,000,000
AS-50F3-50H	5000A	100	165,000,000	AS-50F3-50A	5000A	100	190,000,000
AS-63G3-63H	6300A	120	270,000,000	AS-63G3-63A	6300A	120	315,000,000
ACB METASOL 4 POLES (FIXED)				ACB METASOL 4 POLES (DRAW OUT)			
Tên hàng	In (A)	Icu (KA)	Giá bán	Tên hàng	In (A)	Icu (KA)	Giá bán
AN-06D4-06H	630A	65	51,000,000	AN-06D4-06A	600A	65	62,000,000
AN-08D4-08H	800A	65	54,000,000	AN-08D4-08A	800A	65	64,000,000
AN-10D4-10H	1000A	65	56,000,000	AN-10D4-10A	1000A	65	67,000,000
AN-13D4-13H	1250A	65	60,500,000	AN-13D4-13A	1300A	65	69,000,000
AN-16D4-16H	1600A	65	61,000,000	AN-16D4-16A	1600A	65	70,000,000
AS-20E4-20H	2000A	85	73,500,000	AS-20E4-20A	2000A	85	88,000,000
AS-25E4-25H	2500A	85	95,000,000	AS-25E4-25A	2500A	85	105,000,000
AS-32E4-32H	3200A	85	112,000,000	AS-32E4-32A	3200A	85	130,000,000
AS-40E4-40H	4000A	85	186,000,000	AS-40E4-40A	4000A	85	212,000,000
AS-40F4-40H	4000A	100	192,000,000	AS-40F4-40A	4000A	100	265,000,000
AS-50F4-50H	5000A	100	197,000,000	AS-50F4-50A	5000A	100	300,000,000
AS-63G4-63H	6300A	120	350,000,000	AS-63G4-63A	6300A	120	375,000,000
PHỤ KIỆN ACB				PHỤ KIỆN ACB			
Bộ bảo vệ thấp áp (UVT+UDC)	UVT coil UDC: UVT Time Delay Controller	2,100,000 2,200,000		Khóa liên động (Mechanical Interlock)	2-way (dùng cho 2 ACB) 3-way (dùng cho 3 ACB)	8,000,000 15,000,000	
Shunt Coil (cuộn mở)	SHT for ACB	1,000,000		Tấm chắn pha	IB for ACB 630A~6300A	450,000	

- GHI CHÚ: Giá này chưa bao gồm VAT (10%)

BẢNG GIÁ HÀNG LS SẢN XUẤT TẠI HÀN QUỐC (VNĐ)

(Áp dụng từ ngày 15-04-2017)



MCCB loại High-End, Susol Series Icu từ 50KA-150KA, Ics=100% Icu

Susol MCCB (APTONMAT loại 3 Pha)				Susol MCCB (APTONMAT loại 4 Pha)			
Tên hàng	In (A)	Icu(KA)	Giá bán	Tên hàng	In (A)	Icu(KA)	Giá bán
FTU: loại không chỉnh dòng							
TD100N FTU100 3P	16,20,25,32,40,50, 63,80,100A	50	1,840,000	TD100N FTU100 4P	16,20,25,32,40,50, 63,80,100A	50	2,260,000
TD160N FTU160 3P	125A	50	2,360,000	TD160N FTU160 4P	125A	50	3,160,000
TD160N FTU160 3P	160A	50	3,250,000	TD160N FTU160 4P	160A	50	4,340,000
TS100N FTU100 3P	40, 50, 63, 80, 100A	50	2,020,000	TS100N FTU100 4P	40, 50, 63, 80, 100A	50	2,570,000
TS160N FTU160 3P	100, 125A	50	2,680,000	TS160N FTU160 4P	100, 125A	50	3,450,000
TS160N FTU160 3P	160A	50	3,470,000	TS160N FTU160 4P	160A	50	4,510,000
TS250N FTU250 3P	125, 160, 200A	50	4,100,000	TS250N FTU250 4P	125, 160, 200A	50	5,400,000
TS250N FTU250 3P	250A	50	5,360,000	TS250N FTU250 4P	250A	50	7,080,000
TS400N FTU400 3P	300, 400A	65	5,930,000	TS400N FTU400 4P	300, 400A	65	7,930,000
TS630N FTU630 3P	500, 630A	65	11,130,000	TS630N FTU630 4P	500, 630A	65	11,240,000
TS800N FTU800 3P	800A	65	12,600,000	TS800N FTU800 4P	800A	65	13,130,000
FMU: loại chỉnh dòng (nhiệt) 3 bước 0.8, 0.9, 1.0 x In							
TD100N FMU100 3P	16,20,25,32,40,50, 63,80,100A	50	1,950,000	TD100N FMU100 4P	16,20,25,32,40,50, 63,80,100A	50	2,380,000
TD160N FMU160 3P	125A	50	2,630,000	TD160N FMU160 4P	125A	50	3,500,000
TD160N FMU160 3P	160A	50	3,360,000	TD160N FMU160 4P	160A	50	4,570,000
TS100N FMU100 3P	40, 50, 63, 80, 100A	50	2,120,000	TS100N FMU100 4P	40, 50, 63, 80, 100A	50	2,780,000
TS160N FMU160 3P	100, 125A	50	2,780,000	TS160N FMU160 4P	100, 125A	50	3,630,000
TS160N FMU160 3P	160A	50	3,620,000	TS160N FMU160 4P	160A	50	4,750,000
TS250N FMU250 3P	125, 160, 200A	50	4,310,000	TS250N FMU250 4P	125, 160, 200A	50	5,680,000
TS250N FMU250 3P	250A	50	5,670,000	TS250N FMU250 4P	250A	50	7,440,000
TS400N FMU400 3P	300, 400A	65	6,290,000	TS400N FMU400 4P	300, 400A	65	8,460,000
TS630N FMU630 3P	500, 630A	65	11,340,000	TS630N FMU630 4P	500, 630A	65	12,920,000
TS800N FMU800 3P	800A	65	13,440,000	TS800N FMU800 4P	800A	65	14,180,000
ATU: loại chỉnh dòng cắt (nhiệt) và dòng ngắn mạch (tùy)							
TS160N ATU160 3P	125A	50	2,940,000	TS160N ATU160 4P	125A	50	3,820,000
TS160N ATU160 3P	160A	50	3,830,000	TS160N ATU160 4P	160A	50	5,000,000
TS250N ATU250 3P	200A	50	4,620,000	TS250N ATU250 4P	200A	50	5,970,000
TS250N ATU250 3P	250A	50	6,090,000	TS250N ATU250 4P	250A	50	7,830,000
TS400N ATU400 3P	400A	65	6,720,000	TS400N ATU400 4P	400A	65	9,820,000
TS630N ATU630 3P	630A	65	12,080,000	TS630N ATU630 4P	630A	65	13,910,000
TS800N ATU800 3P	800A	65	13,860,000	TS800N ATU800 4P	800A	65	17,020,000
ETS: loại chỉnh dòng chip relay điện tử 13 bước từ 0.4->1 x In							
TS100N ETS23 3P	80A	50	3,470,000	TS100N ETS23 4P	80A	50	4,160,000
TS160N ETS23 3P	40, 80, 160A	50	4,730,000	TS160N ETS23 4P	40, 80, 160A	50	6,160,000
TS250N ETS23 3P	250A	50	6,720,000	TS250N ETS23 4P	250A	50	8,090,000
TS400N ETS33 3P	400A	65	7,560,000	TS400N ETS33 4P	400A	65	10,030,000
TS630N ETS33 3P	630A	65	13,230,000	TS630N ETS33 4P	630A	65	15,070,000
TS800N ETS43 3P	800A	65	14,700,000	TS800N ETS43 4P	800A	65	18,200,000
AG6: loại chỉnh dòng 7 bước từ 0.4->1 x In							
TS1000N 3P	1000A	50	45,000,000	TS1000H 4P	1000A	70	49,000,000
TS1250N 3P	1250A	50	46,000,000	TS1250H 4P	1250A	70	52,000,000
TS1600N 3P	1600A	50	51,000,000	TS1600H 4P	1600A	70	58,000,000
- GHI CHÚ: Giá này chưa bao gồm VAT (10%)							
Trip relay type AG6: chỉnh 7 bước từ 0.4->1 x In							
TS1000L 4P	1000A	150	56,000,000				

BẢNG GIÁ HÀNG LS SẢN XUẤT TẠI HÀN QUỐC (VNĐ)
 (Áp dụng từ ngày 15-04-2017)



Digital Protection Relay		
Tên hàng	Protection Element	Giá bán
GIPAM-10CR	50/51, 50N/51N, 46, 79	11,000,000
Digital Power MultiMeter		
GIMAC-i	NO, M485, 5A, 50Hz, AC/DC88~264V	6,300,000
Digital Integrated MultiMetering & Control Device		
GIMAC-115P	NO, RS, M, 5A, 50Hz, AC/DC110V	16,000,000

RƠ LE ĐIỆN TỬ - Electric motor protection relays		
Tên hàng	In (A)	Giá bán
GMP22-2S (1a1b)	0.3~1.5A, 1~5A, 4.4~22A	680,000
GMP22-3S (1a1b)	0.3~1.5A, 1~5A, 4.4~22A	980,000
GMP40-2S (1a1b)	4~20A, 8~40A	710,000
GMP40-3S (1a1b)	4~20A, 8~40A	1,000,000
GMP60-T (1c)	0.5~6A, 3~30A, 5~60A	610,000

Manual Motor Starter		
Tên hàng	In (A)	Giá bán
MMS-32S	0.63A (0.4~0.63)A	560,000
MMS-32S	1.0A (0.63~1.0)A	560,000
MMS-32S	1.6A (1.0~1.6)A	560,000
MMS-32S	2.5A (1.6~2.5)A	560,000
MMS-32S	4A (2.5~4)A	560,000
MMS-32S	6A (4~6)A	560,000
MMS-32S	8A (5~8)A	560,000
MMS-32S	10A (6~10)A	560,000
MMS-32S	13A (9~13)A	610,000
MMS-32S	17A (11~17)A	610,000
MMS-32S	22A (14~22)A	610,000
MMS-32S	26A (18~26)A	610,000
MMS-32S	32A (22~32)A	610,000
MMS-63S	40A (28~40)A	1,480,000
MMS-63S	50A (34~50)A	1,510,000
MMS-63S	63A (45~63)A	1,510,000
MMS-100S	75A (55~75)A	2,780,000
MMS-100S	90A (70~90)	3,150,000
MMS-100S	100A (80~100)	3,150,000

RƠ LE KỸ THUẬT SÓ - Digital motor protection relay		
Tên hàng	In (A)	Giá bán
DMP06-S (2a1b)	0.5~6A	3,210,000
DMP06-SI (2a1b)	0.5~6A	3,340,000
DMP06-SE (2a1b)	0.5~6A	3,590,000
DMP06-SEI (2a1b)	0.5~6A	3,670,000
DMP06-SEZ (2a)	0.5~6A	3,750,000
DMP06-Sa (2a1b)	0.5~6A	3,530,000
DMP06-SZ (1a1b)	0.5~6A	3,750,000
DMP06-SZa (1a1b)	0.5~6A	4,040,000
DMP60-S (2a1b)	5~60A	3,210,000
DMP60-SI (2a1b)	5~60A	3,340,000
DMP60-SE (2a1b)	5~60A	3,590,000
DMP60-SEI (2a1b)	5~60A	3,670,000
DMP60-SEZ (2a)	5~60A	3,750,000
DMP60-Sa (2a1b)	5~60A	3,530,000
DMP60-SZ (1a1b)	5~60A	3,750,000
DMP60-SZa (1a1b)	5~60A	4,040,000

KHỞI ĐỘNG TỪ 4 PHA AC (Metasol)			
Tên hàng	Tiếp điểm phụ	In (A)	Giá bán
MC-6a/4		6A	350,000
MC-9a/4		9A	385,000
MC-12a/4		12A	415,000
MC-18a/4		18A	560,000
MC-22a/4		22A	660,000
MC-32a/4		32A	945,000
MC-40a/4		40A	1,100,000
MC-50a/4		50A	1,700,000
MC-65a/4		65A	1,985,000
MC-75a/4		75A	2,535,000
MC-85a/4		85A	2,750,000
MC-100a/4	(2a2b)	100A	4,950,000
MC-130a/4	(2a2b)	130A	5,700,000
MC-150a/4	(2a2b)	150A	6,615,000
MC-185a/4	(2a2b)	185A	7,150,000
MC-225a/4	(2a2b)	225A	8,370,000
MC-265a/4	(2a2b)	265A	13,450,000
MC-330a/4	(2a2b)	330A	14,550,000
MC-400a/4	(2a2b)	400A	15,650,000
MC-500a/4	(2a2b)	500A	24,800,000
MC-630a/4	(2a2b)	630A	26,460,000
MC-800a/4	(2a2b)	800A	32,190,000

- GHI CHÚ: Giá này chưa bao gồm VAT (10%)

BẢNG GIÁ HÀNG LS - HÀN QUỐC (VNĐ)

(Áp dụng từ ngày 15-04-2017)



Susol Vacuum Contactors 3.6KV (loại Fixed)			
Tên hàng	In (A)	Icu (KA)	Giá bán
VC-3Z-42EE	200A	4KA	28,500,000
VC-3Z-42LE	200A	4KA	29,500,000
VC-3Z-44EE	400A	4KA	28,500,000
VC-3Z-44LE	400A	4KA	29,500,000

Susol Vacuum Circuit Breaker 7.2KV (loại Fixed)			
Tên hàng	In (A)	Icu (KA)	Giá bán
VL-06P-08A/04	400A	8kA	52,000,000
VL-06P-13A/06	630A	12.5kA	60,800,000
VL-06P-25A/06	630A	25kA	88,000,000
VL-06P-25A/13	1250A	25kA	105,000,000
VL-06P-25A/20	2000A	25kA	135,000,000

Susol Vacuum Contactors 7.2KV (loại Fixed)			
Tên hàng	In (A)	Icu (KA)	Giá bán
VC-6Z-42EE	200A	4KA	28,500,000
VC-6Z-42LE	200A	4KA	29,500,000
VC-6Z-44EE	400A	4KA	28,500,000
VC-6Z-44LE	400A	4KA	29,500,000

Susol Vacuum Circuit Breaker 7.2KV (loại Drawout-E)			
Tên hàng	In (A)	Icu (KA)	Giá bán
VL-06E-08A/04	400A	8kA	60,000,000
VL-06E-13A/06	630A	12.5kA	64,000,000
VL-06E-25A/06	630A	25kA	102,000,000
VL-06E-25A/13	1250A	25kA	108,000,000
VL-06E-25A/20	2000A	25kA	180,000,000

Susol Vacuum Contactors 3.6KV (loại Drawout)			
Tên hàng	In (A)	Icu (KA)	Giá bán
VC-3G-42EE	200A	4KA	53,800,000
VC-3G-42LE	200A	4KA	54,800,000
VC-3G-44EE	400A	4KA	53,800,000
VC-3G-44LE	400A	4KA	54,800,000

Susol Vacuum Circuit Breaker 24KV (loại Fixed)			
Tên hàng	In (A)	Icu (KA)	Giá bán
VL-20P-25F/06	630A	25kA	130,000,000
VL-20P-25F/13	1250A	25kA	140,000,000
VL-20P-25F/20	2000A	25kA	145,000,000

Susol Vacuum Contactors 7.2KV (loại Drawout)			
Tên hàng	In (A)	Icu (KA)	Giá bán
VC-6G-42EE	200A	4KA	53,800,000
VC-6G-42LE	200A	4KA	54,800,000
VC-6G-44EE	400A	4KA	53,800,000
VC-6G-44LE	400A	4KA	54,800,000

Susol Vacuum Circuit Breaker 24KV (loại Drawout-F)			
Tên hàng	In (A)	Icu (KA)	Giá bán
VL-20F-25F/06	630A	25kA	160,000,000
VL-20F-25F/13	1250A	25kA	165,000,000
VL-20F-25F/20	2000A	25kA	191,000,000

POWER FUSE (Cầu chì Trung Thé)			
Tên hàng	In (A)	(KV)	Giá bán
LFL-3/6G-5B	5A	3.6 (7.2)KV	1,850,000
LFL-3/6G-10B	10A		1,850,000
LFL-3/6G-20B	20A		1,950,000
LFL-3/6G-30B	30A		1,950,000
LFL-3/6G-40B	40A		2,050,000
LFL-3/6G-50B	50A		2,050,000
LFL-3/6G-60B	63A		2,150,000
LFL-3/6G-75B	75A		2,250,000
LFL-3/6G-100B	100A		2,350,000
LFL-3/6G-125B	125A		2,600,000
LFL-3G-160B	160A	3.6KV	2,800,000
LFL-3G-200B	200A		3,300,000
LFL-6G-160B	160A	7.2KV	3,700,000
LFL-6G-200B	200A		4,600,000

POWER FUSE (Cầu chì Trung Thé)			
Tên hàng	In (A)	(KV)	Giá bán
LFL-20G-5B	5A	24KV	3,900,000
LFL-20G-10B	10A		3,950,000
LFL-20G-16B	16A		4,000,000
LFL-20G-20B	20A		4,100,000
LFL-20G-25B	25A		4,150,000
LFL-20G-30B	30A		4,200,000
LFL-20G-40B	40A		4,250,000
LFL-20G-50B	50A		4,300,000
LFL-20G-60B	60A		4,350,000
LFL-20G-75C	75A		4,400,000
LFL-20G-100C	100A		4,400,000
LFL-20G-125B	125A		4,450,000
LFL-20G-160B	160A		4,500,000
LFL-20G-200B	200A		4,800,000

- GHI CHÚ: Giá này chưa bao gồm VAT (10%)

BẢNG GIÁ HÀNG LS SẢN XUẤT TẠI HÀN QUỐC (VNĐ)

(Áp dụng từ ngày 15-04-2017)



Susol MCCB (APTOMAT loại 2 Pha)				Susol CONTACTOR 3 POLES - AC Coil																																																																																																																																											
Tên hàng	In (A)	Icu(KA)	Giá bán	Tên hàng	In (A)	Giá bán																																																																																																																																									
FTU: loại không chỉnh dòng (Fixed thermal, fixed magnetic trip units)																																																																																																																																															
TD100N FTU100 2P	16 -> 100A	50	1,580,000	MC-9	9A (1a1b)	340,000																																																																																																																																									
TD160N FTU160 2P	100, 125A	50	2,030,000	MC-12	12A (1a1b)	400,000																																																																																																																																									
TD160N FTU160 2P	160A	50	2,790,000	MC-18	18A (1a1b)	470,000																																																																																																																																									
TS100N FTU100 2P	40, 50, 63, 80, 100A	50	1,630,000	MC-25	25A (1a1b)	600,000																																																																																																																																									
TS160N FTU160 2P	100, 125A	50	2,220,000	MC-32	32A (1a1b)	960,000																																																																																																																																									
TS160N FTU160 2P	160A	50	2,900,000	MC-35	35A (1a1b)	1,020,000																																																																																																																																									
TS250N FTU250 2P	125, 160, 200A	50	3,470,000	MC-40	40A (1a1b)	1,190,000																																																																																																																																									
TS250N FTU250 2P	250A	50	4,550,000	MC-50	50A (1a1b)	1,470,000																																																																																																																																									
TS400N FTU400 2P	300, 400A	65	5,570,000	MC-63	63A (1a1b)	1,790,000																																																																																																																																									
TS630N FTU630 2P	500, 630A	65	6,930,000	MC-65	65A (1a1b)	1,940,000																																																																																																																																									
TS800N FTU800 2P	800A	65	10,080,000	MC-75	75A (1a1b)	2,420,000																																																																																																																																									
FMU: loại chỉnh dòng (nhiệt) 3 bước 0.8, 0.9, 1.0 x In (Adjustable thermal: 0.8~1 x In, fixed magnetic)				MC-85																																																																																																																																											
TD100N FMU100 2P	16 -> 100A	50	1,680,000	MC-95	95A (1a1b)	3,260,000																																																																																																																																									
TD160N FMU160 2P	100, 125A	50	2,250,000	PHỤ KIỆN MCCB Susol																																																																																																																																											
TD160N FMU160 2P	160A	50	2,930,000	Shunt release: SHT for TD, TS100->800	635,000	TS100N FMU100 2P	40, 50, 63, 80, 100A	50	1,790,000	Undervoltage release: UVT for TD, TS100->800	950,000	TS160N FMU160 2P	100, 125A	50	2,340,000	Auxiliary switch: AX for TD, TS100->800	295,000	TS160N FMU160 2P	160A	50	3,050,000	Alarm switch: AL for TD, TS100->800	295,000	TS250N FMU250 2P	125, 160, 200A	50	3,650,000	Fault alarm switch: FAL for TD, TS100->800	295,000	TS250N FMU250 2P	250A	50	4,820,000	Motor operator: MOP1 for TD100, 160	4,300,000	TS400N FMU400 2P	300, 400A	65	6,140,000	Motor operator: MOP2 for TS100, 160, 250	4,500,000	TS630N FMU630 2P	500, 630A	65	7,770,000	Motor operator: MOP3 for TS400, 630	6,100,000	TS800N FMU800 2P	800A	65	10,400,000	Motor operator: MOP4 for TS800	7,300,000	ATU: loại chỉnh dòng cắt (nhiệt) và dòng ngắn mạch (tùy) (Adjustable thermal: 0.8~1xIn, Adjustable magnetic: 5~10xIn)				Busbar: Spreader SP33a for TS400-TS630	500,000	TS160N ATU160 2P	125A	50	2,460,000	Busbar: Spreader SP43 for TS800	839,000	TS160N ATU160 2P	160A	50	3,210,000	Busbar for 3P TS1000/1250/1600N	1,800,000	TS250N ATU250 2P	125, 160, 200A	50	3,840,000	Busbar for 4P TS1000/1250/1600N	2,300,000	TS250N ATU250 2P	250A	50	5,030,000	Direct Rotary Handle: DH1 for TD100, 160	490,000	TS400N ATU400 2P	300, 400A	65	6,720,000	Direct Rotary Handle: DH2 for TS250	545,000	TS630N ATU630 2P	500, 630A	65	8,930,000	Direct Rotary Handle: DH3 for TS400, 630	980,000	TS800N ATU800 2P	800A	65	11,760,000	Direct Rotary Handle: DH4 for TS800	1,300,000	PHỤ KIỆN MCCB Susol				Extended Rotary Handle: EH1 for TD100, 160	790,000	Interlock: MIT43 (44) for TS800 3P (4P)	1,750,000			Extended Rotary Handle: EH2 for TS250	850,000	Interlock: MIT23 (24) for TS250 3P (4P)				Extended Rotary Handle: EH3 for TS400, 630	1,450,000	Interlock: MIT33 (34) for TS400/630 3P (4P)				Extended Rotary Handle: EH4 for TS800	1,615,000	- GHI CHÚ: Giá này chưa bao gồm VAT (10%)				Interlock: MIT13 (14) for TD100/160 3P (4P)	1,300,000					Interlock: MIT23 (24) for TS250 3P (4P)	1,400,000					Interlock: MIT33 (34) for TS400/630 3P (4P)	1,600,000
TS100N FMU100 2P	40, 50, 63, 80, 100A	50	1,790,000	Undervoltage release: UVT for TD, TS100->800	950,000																																																																																																																																										
TS160N FMU160 2P	100, 125A	50	2,340,000	Auxiliary switch: AX for TD, TS100->800	295,000																																																																																																																																										
TS160N FMU160 2P	160A	50	3,050,000	Alarm switch: AL for TD, TS100->800	295,000																																																																																																																																										
TS250N FMU250 2P	125, 160, 200A	50	3,650,000	Fault alarm switch: FAL for TD, TS100->800	295,000																																																																																																																																										
TS250N FMU250 2P	250A	50	4,820,000	Motor operator: MOP1 for TD100, 160	4,300,000																																																																																																																																										
TS400N FMU400 2P	300, 400A	65	6,140,000	Motor operator: MOP2 for TS100, 160, 250	4,500,000																																																																																																																																										
TS630N FMU630 2P	500, 630A	65	7,770,000	Motor operator: MOP3 for TS400, 630	6,100,000																																																																																																																																										
TS800N FMU800 2P	800A	65	10,400,000	Motor operator: MOP4 for TS800	7,300,000																																																																																																																																										
ATU: loại chỉnh dòng cắt (nhiệt) và dòng ngắn mạch (tùy) (Adjustable thermal: 0.8~1xIn, Adjustable magnetic: 5~10xIn)				Busbar: Spreader SP33a for TS400-TS630	500,000																																																																																																																																										
TS160N ATU160 2P	125A	50	2,460,000	Busbar: Spreader SP43 for TS800	839,000																																																																																																																																										
TS160N ATU160 2P	160A	50	3,210,000	Busbar for 3P TS1000/1250/1600N	1,800,000																																																																																																																																										
TS250N ATU250 2P	125, 160, 200A	50	3,840,000	Busbar for 4P TS1000/1250/1600N	2,300,000																																																																																																																																										
TS250N ATU250 2P	250A	50	5,030,000	Direct Rotary Handle: DH1 for TD100, 160	490,000																																																																																																																																										
TS400N ATU400 2P	300, 400A	65	6,720,000	Direct Rotary Handle: DH2 for TS250	545,000																																																																																																																																										
TS630N ATU630 2P	500, 630A	65	8,930,000	Direct Rotary Handle: DH3 for TS400, 630	980,000																																																																																																																																										
TS800N ATU800 2P	800A	65	11,760,000	Direct Rotary Handle: DH4 for TS800	1,300,000																																																																																																																																										
PHỤ KIỆN MCCB Susol				Extended Rotary Handle: EH1 for TD100, 160	790,000																																																																																																																																										
Interlock: MIT43 (44) for TS800 3P (4P)	1,750,000			Extended Rotary Handle: EH2 for TS250	850,000																																																																																																																																										
Interlock: MIT23 (24) for TS250 3P (4P)				Extended Rotary Handle: EH3 for TS400, 630	1,450,000																																																																																																																																										
Interlock: MIT33 (34) for TS400/630 3P (4P)				Extended Rotary Handle: EH4 for TS800	1,615,000																																																																																																																																										
- GHI CHÚ: Giá này chưa bao gồm VAT (10%)				Interlock: MIT13 (14) for TD100/160 3P (4P)	1,300,000																																																																																																																																										
				Interlock: MIT23 (24) for TS250 3P (4P)	1,400,000																																																																																																																																										
				Interlock: MIT33 (34) for TS400/630 3P (4P)	1,600,000																																																																																																																																										

BẢNG GIÁ CÔNG TẮC Ổ CẮM HIỆU LS (VNĐ)
 (Áp dụng từ ngày 15-04-2017)



		Tên hàng	Đơn giá (VNĐ)	
Công tắc đơn (Switch)		Thân công tắc đơn: 1Gang 1Way Switch Body: LSV-SB1W1W16	24,000	36,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW)	12,000	
Công tắc đôi (Switch)		Thân công tắc đôi: 2Gang 1Way Switch Body: LSV-SB1W2W16	44,000	56,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW)	12,000	
Công tắc ba (Switch)		Thân công tắc ba: 3Gang 1Way Switch Body: LSV-SB1W3W16	64,000	76,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW)	12,000	
Công tắc đơn 2 chiều (Switch)		Thân công tắc đơn 2 chiều: 1Gang 2Way Switch Body : LSV-SB2W1W16	34,000	46,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW)	12,000	
Công tắc đôi 2 chiều (Switch)		Thân công tắc đôi 2 chiều: 2Gang 2Way Switch Body: LSV-SB2W2W16	58,000	70,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW)	12,000	
Công tắc ba 2 chiều (Switch)		Thân công tắc ba 2 chiều: 3Gang 2Way Switch Body: LSV-SB2W3W16	80,000	92,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW)	12,000	

BẢNG GIÁ CÔNG TẮC Ổ CẮM HIỆU LS (VNĐ)
 (Áp dụng từ ngày 15-04-2017)



Tên hàng		Đơn giá (VNĐ)
Công tắc hai cực có đèn báo (dùng cho máy nước nóng) Heater Water Switch		Thân công tắc máy nước nóng 2 cực: Heater Water Switch Body: LSV-SH1W1W20 168,000
		Nắp đậy - 1Gang Socket Plate: LSV-OP1W 12,000
Ổ cắm đơn (Socket)		Thân ổ cắm đơn: 1 Gang Socket Body : LSV-OB1W16 52,000
		Nắp đậy - 1Gang Socket Plate: LSV-OP1W 12,000
Ổ cắm đôi (Socket)		Thân ổ cắm đôi: 2 Gang Socket Body: LSV-OB2W16 83,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW) 12,000
Ổ Tivi (TV)		Thân ổ cắm tivi: TV Socket: LSV-CBTW 51,000
		Nắp đậy - Standard Plate: LSV-CPSW (LSV-SPSW, LSV-OP2W, LSV-CPSW) 12,000
Ổ Mạng (Computer)		Thân ổ cắm mạng (Cat6): Computer Socket (Cat6): LSV-CBNW 125,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW) 12,000
Ổ Điện Thoại (Telephone)		Thân ổ cắm điện thoại (Cat5): Tel Socket (Cat5): LSV-CBPW 62,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW) 12,000

BẢNG GIÁ CÔNG TẮC Ổ CẮM HIỆU LS (VNĐ)
 (Áp dụng từ ngày 15-04-2017)



Tên hàng			Đơn giá (VNĐ)	
Ổ Tivi và điện thoại (TV & Telephone)		Thân ổ cắm tivi và điện thoại (Cat5): TV & Tel Socket (Cat5): LSV-CBTPW	104,000	116,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW)	12,000	
Ổ Tivi và ổ mạng (TV & Computer)		Thân ổ cắm tivi và mạng (Cat6): TV & Computer Socket: LSV-CBTNW	146,000	158,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW)	12,000	
Ổ Điện thoại và ổ mạng (Telephone & Computer)		Thân ổ cắm điện thoại (Cat5) và mạng (Cat6): Tel & Computer Socket: LSV-CBPNW	156,000	168,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW)	12,000	
Ổ Tivi, mạng, điện thoại (TV & Computer & Telephone)		Thân ổ cắm TV, mạng (Cat6) và ĐT(Cat5): 1TV&1Computer&1Tel Socket: LSV-CBTNPW	193,000	205,000
		Nắp đậy - Standard Plate: LSV-PSW (LSV-SPSW, LSV-OP2W, LSV-CPSW)	12,000	
Công tắc chuông cửa (Door bell Switch)		Door Bell Switch: LSV-DBUW	56,000	
Hộp che nước (water proof)		Water Proof: LSV-WPCW	105,000	
	Ổ cắm âm sàn	SOCKET_FLOOR: LSV-OFUW	850,000	

- GHI CHÚ:

Giá này chưa bao gồm VAT (10%)

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng		In (A)	Mô tả		Đơn giá (VND)																																															
Starvert iE5 1 Pha 200~300VAC		HD ND	Điều khiển V/F, tích hợp bàn phím, biến trộn điều chỉnh tốc độ Các ứng dụng cơ bản (bơm, quạt, băng tải, cửa thang máy...)																																																	
	<table border="1"> <tr> <td>LS drive brand</td> <td>Motor rating 001: 0.1kW ~ 004: 0.4kW</td> <td>Series name iE5</td> <td>Symbol 1</td> <td>Input rating Single-phase, 200~230V</td> <td>Symbol None</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>2 Three-phase, 200~230V</td> <td>Not available</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>RS485 (LS Bus / Modbus RTU)</td> </tr> </table>	LS drive brand	Motor rating 001: 0.1kW ~ 004: 0.4kW	Series name iE5	Symbol 1	Input rating Single-phase, 200~230V	Symbol None					2 Three-phase, 200~230V	Not available						RS485 (LS Bus / Modbus RTU)																																	
LS drive brand	Motor rating 001: 0.1kW ~ 004: 0.4kW	Series name iE5	Symbol 1	Input rating Single-phase, 200~230V	Symbol None																																															
				2 Three-phase, 200~230V	Not available																																															
					RS485 (LS Bus / Modbus RTU)																																															
		<table border="1"> <tr> <td>SV001IE5-1</td> <td>0.1kW</td> <td>0.8A</td> <td>-</td> <td>0.1kW(1/8HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz</td> <td>1,610,000</td> </tr> <tr> <td>SV002IE5-1</td> <td>0.2kW</td> <td>1.4A</td> <td>-</td> <td>0.2kW(1/4HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz</td> <td>1,700,000</td> </tr> <tr> <td>SV004IE5-1</td> <td>0.4kW</td> <td>2.5A</td> <td>-</td> <td>0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz</td> <td>1,760,000</td> </tr> <tr> <td>SV001IE5-1C</td> <td>0.1kW</td> <td>0.8A</td> <td>-</td> <td>0.1kW(1/8HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)</td> <td>1,760,000</td> </tr> <tr> <td>SV002IE5-1C</td> <td>0.2kW</td> <td>1.4A</td> <td>-</td> <td>0.2kW(1/4HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)</td> <td>1,820,000</td> </tr> <tr> <td>SV004IE5-1C</td> <td>0.4kW</td> <td>2.5A</td> <td>-</td> <td>0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)</td> <td>1,910,000</td> </tr> </table>	SV001IE5-1	0.1kW	0.8A	-	0.1kW(1/8HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,610,000	SV002IE5-1	0.2kW	1.4A	-	0.2kW(1/4HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,700,000	SV004IE5-1	0.4kW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,760,000	SV001IE5-1C	0.1kW	0.8A	-	0.1kW(1/8HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,760,000	SV002IE5-1C	0.2kW	1.4A	-	0.2kW(1/4HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,820,000	SV004IE5-1C	0.4kW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,910,000														
SV001IE5-1	0.1kW	0.8A	-	0.1kW(1/8HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,610,000																																															
SV002IE5-1	0.2kW	1.4A	-	0.2kW(1/4HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,700,000																																															
SV004IE5-1	0.4kW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,760,000																																															
SV001IE5-1C	0.1kW	0.8A	-	0.1kW(1/8HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,760,000																																															
SV002IE5-1C	0.2kW	1.4A	-	0.2kW(1/4HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,820,000																																															
SV004IE5-1C	0.4kW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,910,000																																															
Starvert iE5 3 Pha 200~300VAC		HD ND	Điều khiển V/F, tích hợp bàn phím, biến trộn điều chỉnh tốc độ Các ứng dụng cơ bản (bơm, quạt, băng tải, cửa thang máy...)																																																	
	<table border="1"> <tr> <td>LS drive brand</td> <td>Motor rating 004: 0.4kW ~ 022: 2.2kW</td> <td>Series name iE5</td> <td>Symbol 1</td> <td>Input rating Single-phase, 200~230V</td> <td>Symbol None</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Not available</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>EMC filter</td> </tr> </table>	LS drive brand	Motor rating 004: 0.4kW ~ 022: 2.2kW	Series name iE5	Symbol 1	Input rating Single-phase, 200~230V	Symbol None						Not available						EMC filter																																	
LS drive brand	Motor rating 004: 0.4kW ~ 022: 2.2kW	Series name iE5	Symbol 1	Input rating Single-phase, 200~230V	Symbol None																																															
					Not available																																															
					EMC filter																																															
		<table border="1"> <tr> <td>SV001IE5-2</td> <td>0.1kW</td> <td>0.8A</td> <td>-</td> <td>0.1kW(1/8HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz</td> <td>1,700,000</td> </tr> <tr> <td>SV002IE5-2</td> <td>0.2kW</td> <td>1.6A</td> <td>-</td> <td>0.2kW(1/4HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz</td> <td>1,760,000</td> </tr> <tr> <td>SV004IE5-2</td> <td>0.4kW</td> <td>1.14A</td> <td>-</td> <td>0.4kW(1/2HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz</td> <td>1,850,000</td> </tr> <tr> <td>SV001IE5-2C</td> <td>0.1kW</td> <td>0.8A</td> <td>-</td> <td>0.1kW(1/8HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)</td> <td>1,820,000</td> </tr> <tr> <td>SV002IE5-2C</td> <td>0.2kW</td> <td>1.6A</td> <td>-</td> <td>0.2kW(1/4HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)</td> <td>1,880,000</td> </tr> <tr> <td>SV004IE5-2C</td> <td>0.4kW</td> <td>1.14A</td> <td>-</td> <td>0.4kW(1/2HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)</td> <td>1,970,000</td> </tr> </table>	SV001IE5-2	0.1kW	0.8A	-	0.1kW(1/8HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,700,000	SV002IE5-2	0.2kW	1.6A	-	0.2kW(1/4HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,760,000	SV004IE5-2	0.4kW	1.14A	-	0.4kW(1/2HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,850,000	SV001IE5-2C	0.1kW	0.8A	-	0.1kW(1/8HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,820,000	SV002IE5-2C	0.2kW	1.6A	-	0.2kW(1/4HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,880,000	SV004IE5-2C	0.4kW	1.14A	-	0.4kW(1/2HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,970,000														
SV001IE5-2	0.1kW	0.8A	-	0.1kW(1/8HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,700,000																																															
SV002IE5-2	0.2kW	1.6A	-	0.2kW(1/4HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,760,000																																															
SV004IE5-2	0.4kW	1.14A	-	0.4kW(1/2HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,850,000																																															
SV001IE5-2C	0.1kW	0.8A	-	0.1kW(1/8HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,820,000																																															
SV002IE5-2C	0.2kW	1.6A	-	0.2kW(1/4HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,880,000																																															
SV004IE5-2C	0.4kW	1.14A	-	0.4kW(1/2HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,970,000																																															
Starvert iC5 1 Pha 200~230VAC		HD ND	Điều khiển V/f, sensorless vector control, tích hợp bàn phím/biến trộn điều chỉnh tốc độ Các ứng dụng cơ bản, các máy công suất nhỏ.																																																	
	<table border="1"> <tr> <td>LS drive brand</td> <td>Motor rating 004: 0.4kW ~ 022: 2.2kW</td> <td>Series name iC5</td> <td>Symbol 1</td> <td>Input rating Single-phase, 200~230V</td> <td>Symbol None</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Not available</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>EMC filter</td> </tr> </table>	LS drive brand	Motor rating 004: 0.4kW ~ 022: 2.2kW	Series name iC5	Symbol 1	Input rating Single-phase, 200~230V	Symbol None						Not available						EMC filter																																	
LS drive brand	Motor rating 004: 0.4kW ~ 022: 2.2kW	Series name iC5	Symbol 1	Input rating Single-phase, 200~230V	Symbol None																																															
					Not available																																															
					EMC filter																																															
		<table border="1"> <tr> <td>SV004iC5-1</td> <td>0.4kW</td> <td>2.5A</td> <td>-</td> <td>0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz</td> <td>2,330,000</td> </tr> <tr> <td>SV008iC5-1</td> <td>0.75kW</td> <td>5A</td> <td>-</td> <td>0.75kW(1HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz</td> <td>2,480,000</td> </tr> <tr> <td>SV015iC5-1</td> <td>1.5kW</td> <td>8A</td> <td>-</td> <td>1.5kW(2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz</td> <td>2,920,000</td> </tr> <tr> <td>SV022iC5-1</td> <td>2.2kW</td> <td>12A</td> <td>-</td> <td>2.2kW(3HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz</td> <td>3,190,000</td> </tr> <tr> <td>SV004iC5-1F</td> <td>0.4kW</td> <td>2.5A</td> <td>-</td> <td>0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC</td> <td>2,450,000</td> </tr> <tr> <td>SV008iC5-1F</td> <td>0.75kW</td> <td>5A</td> <td>-</td> <td>0.75kW(1HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC</td> <td>2,570,000</td> </tr> <tr> <td>SV015iC5-1F</td> <td>1.5kW</td> <td>8A</td> <td>-</td> <td>1.5kW(2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC</td> <td>3,100,000</td> </tr> <tr> <td>SV022iC5-1F</td> <td>2.2kW</td> <td>12A</td> <td>-</td> <td>2.2kW(3HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC</td> <td>3,400,000</td> </tr> </table>	SV004iC5-1	0.4kW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,330,000	SV008iC5-1	0.75kW	5A	-	0.75kW(1HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,480,000	SV015iC5-1	1.5kW	8A	-	1.5kW(2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,920,000	SV022iC5-1	2.2kW	12A	-	2.2kW(3HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	3,190,000	SV004iC5-1F	0.4kW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	2,450,000	SV008iC5-1F	0.75kW	5A	-	0.75kW(1HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	2,570,000	SV015iC5-1F	1.5kW	8A	-	1.5kW(2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	3,100,000	SV022iC5-1F	2.2kW	12A	-	2.2kW(3HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	3,400,000		
SV004iC5-1	0.4kW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,330,000																																															
SV008iC5-1	0.75kW	5A	-	0.75kW(1HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,480,000																																															
SV015iC5-1	1.5kW	8A	-	1.5kW(2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,920,000																																															
SV022iC5-1	2.2kW	12A	-	2.2kW(3HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	3,190,000																																															
SV004iC5-1F	0.4kW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	2,450,000																																															
SV008iC5-1F	0.75kW	5A	-	0.75kW(1HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	2,570,000																																															
SV015iC5-1F	1.5kW	8A	-	1.5kW(2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	3,100,000																																															
SV022iC5-1F	2.2kW	12A	-	2.2kW(3HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	3,400,000																																															
Starvert iG5A (Standard type) 1 pha 200~230VAC		HD ND	V/f, sensorless vector control, built-in brake unit, RS485 (LS Bus / Modbus RTU)/ Các ứng dụng cơ bản (bơm, quạt, băng tải, máy đóng gói...)																																																	

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng		In (A)	Mô tả		Đơn giá (VNĐ)
 LS drive brand: SV	 Motor rating: 004: 0.4kW - 220: 22kW	 Series name: iG5A	-	 Symbol: 2	 FB
General specification					
SV004IG5A-1	0.4kW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	3,280,000
SV008IG5A-1	0.75kW	5A	-	0.75kW(1HP), 1 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	3,520,000
SV015IG5A-1	1.5kW	8A	-	1.5kW(2HP), 1 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	3,970,000
Starvert iG5A (Standard type) 3 pha 200~230VAC			HD	ND	V/f, sensorless vector control, built-in brake unit, RS485 (LS Bus / Modbus RTU)
SV004IG5A-2	0.4 kW	2.5A	-	0.4kW(1/2HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	2,980,000
SV008IG5A-2	0.75 kW	5A	-	0.75kW(1HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	3,220,000
SV015IG5A-2	1.5 kW	8A	-	1.5kW(2HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	3,730,000
SV022IG5A-2	2.2kW	12A	-	2.2kW(3HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	4,300,000
SV037IG5A-2	3.7kW	16A	-	3.7kW(5HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	4,860,000
SV040IG5A-2	4kW	17A	-	4.0kW(5.4HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	4,860,000
SV055IG5A-2	5.5kW	24A	-	5.5kW(7.5HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	7,280,000
SV075IG5A-2	7.5kW	32A	-	7.5kW(10HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	8,150,000
SV110IG5A-2	11kW	46A	-	11kW(15HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	14,950,000
SV150IG5A-2	15kW	60A	-	15kW(20HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	17,250,000
SV185IG5A-2	18.5kW	74A	-	18.5kW(25HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	19,870,000
SV220IG5A-2	22kW	88A	-	22kW(30HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	23,580,000
Starvert iG5A (Standard type) 3 pha 380~480VAC			HD	ND	V/f, sensorless vector control, built-in brake unit, RS485 (LS Bus / Modbus RTU)
SV004IG5A-4	0.4 kW	1.25A	-	0.4kW(1/2HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	3,200,000
SV008IG5A-4	0.75 kW	2.5A	-	0.75kW(1HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	3,380,000
SV015IG5A-4	1.5 kW	4A	-	1.5kW(2HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	3,710,000
SV022IG5A-4	2.2kW	6A	-	2.2kW(3HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	4,220,000
SV037IG5A-4	3.7kW	8A	-	3.7kW(5HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	5,020,000
SV040IG5A-4	4.0kW	9A	-	4.0kW(5.4HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	5,020,000
SV055IG5A-4	5.5kW	12A	-	5.5kW(7.5HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	7,060,000
SV075IG5A-4	7.5kW	16A	-	7.5kW(10HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	7,710,000
SV110IG5A-4	11kW	24A	-	11kW(15HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	13,400,000
SV150IG5A-4	15kW	30A	-	15kW(20HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	14,580,000
SV185IG5A-4	18.5kW	39A	-	18.5kW(25HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	17,310,000
SV220IG5A-4	22kW	45A	-	22kW(30HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	18,800,000
LSLV S100 (Protection degree IP20) 1 pha 200~230VAC (Dòng mới, thay thế cho IG5A)			HD	ND	Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải, máy nén, máy cán...)
			Page 2		

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng		In (A)	Mô tả			Đơn giá (VNĐ)
Model Number						
LSLV	0008	S100	-	2	E	O
LS Low Voltage Drive Series	Motor rating(kW) 0004: 0.4kW ~ 0750: 75kW	Series name S100	Input Voltage 1: 1-phase 200 ~ 240[V] 2: 3-phase 200 ~ 240[V] 4: 3-phase 380 ~ 480[V]	Keypad E : LED Keypad S : LCD Keypad	UL Type O : UL Open X : IP66	EMC Filter F : Built-in EMC N : Non-EMC
						Reactor D : Built-in DCL N : Non-Reactor
						I/O M : Multiple (3.5mm) S : Standard (5mm)
General specification						
LSLV0004S100-1EONNS	0.4/0.75kw	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC		4,270,000
LSLV0008S100-1EONNS	0.75/1.5kw	5A	-	0.75kW(1HP), 1 pha, 200~230VAC		4,580,000
LSLV0015S100-1EONNS	1.5/2.2kw	8A	-	1.5kW(2HP), 1 pha, 200~230VAC		5,160,000
LSLV0022S100-1EONNS	2.2/3.7kw	11A	-	2.2kW(3HP), 1 pha, 200~230VAC		5,520,000
LSLV S100 (Protection degree IP20) 3 Phase 200~230VAC (Dòng mới, thay thế cho IG5A)			HD	ND	Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)	
	LSLV0004S100-2EONNS	0.4/0.75kw	2.5A	-	0.4kW(1/2HP), 3 Phase 200~230VAC	3,580,000
	LSLV0008S100-2EONNS	0.75/1.5kw	5A	-	0.75kW(1HP), 3 Phase 200~230VAC	3,870,000
	LSLV0015S100-2EONNS	1.5/2.2kw	8A	-	1.5kW(2HP), 3 Phase 200~230VAC	4,480,000
	LSLV0022S100-2EONNS	2.2/3.7kw	11A	-	2.2kW(3HP), 3 Phase 200~230VAC	5,160,000
	LSLV0037S100-2EONNS	3.7/4kw	16A	-	3.7kW(5HP), 3 Phase 200~230VAC	5,840,000
	LSLV0040S100-2EONNS	4/5.5kw	17A	-	4.0kW(5.4HP), 3 Phase 200~230VAC	5,840,000
	LSLV0055S100-2EONNS	5.5/7.5kw	24A	-	5.5kW(7.5HP), 3 Phase 200~230VAC	8,370,000
	LSLV0075S100-2EONNS	7.5/11kw	32A	-	7.5kW(10HP), 3 Phase 200~230VAC	9,370,000
	LSLV0110S100-2EONNS	11/15kw	46A	-	11kW(15HP), 3 Phase 200~230VAC	14,970,000
	LSLV0150S100-2EONNS	15/18.5kw	60A	-	15kW(20HP), 3 Phase 200~230VAC	17,350,000
LSLV S100 (Protection degree IP20) 3 Phase 380~480VAC (Dòng mới, thay thế cho IG5A)			HD	ND	Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)	
	LSLV0004S100-4EONNS	0.4/0.75kw	1.25A	-	0.4kW(1/2HP), 3 Phase, 380~480VAC	3,840,000
	LSLV0008S100-4EONNS	0.75/1.5kw	2.5A	-	0.75kW(1HP), 3 Phase, 380~480VAC	4,060,000
	LSLV0015S100-4EONNS	1.5/2.2kw	4A	-	1.5kW(2HP), 3 Phase, 380~480VAC	4,450,000
	LSLV0022S100-4EONNS	2.2/3.7kw	5.5A	-	2.2kW(3HP), 3 Phase, 380~480VAC	5,060,000
	LSLV0037S100-4EONNS	3.7/4kw	8A	-	3.7kW(5HP), 3 Phase, 380~480VAC	6,030,000
	LSLV0040S100-4EONNS	4/5.5kw	9A	-	4.0kW(5.4HP), 3 Phase, 380~480VAC	6,030,000
	LSLV0055S100-4EOFNS	5.5/7.5kw	12A	-	5.5kW(7.5HP), 3 Phase, 380~480VAC	8,120,000
	LSLV0075S100-4EOFNS	7.5/11kw	16A	-	7.5kW(10HP), 3 Phase, 380~480VAC	8,860,000
	LSLV0110S100-4EOFNS	11/15kw	24A	-	11kW(15HP), 3 Phase, 380~480VAC	14,240,000
	LSLV0150S100-4EOFNS	15/18.5kw	30A	-	15kW(20HP), 3 Phase, 380~480VAC	15,770,000
	LSLV0185S100-4EOFNS	18.5/22kw	39A	-	18.5kW(25HP), 3 Phase, 380~480VAC	18,470,000

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng		In (A)	Mô tả	Đơn giá (VNĐ)
LSLV0220S100-4EOFNS	22/30kw	45A	- 22kW(30HP), 3 Phase, 380~480VAC	20,930,000
LSLV0300S100-4CONDNS	30/37kw	61A	- 30kW(40HP), 3 Phase, 380~480VAC	32,830,000
LSLV0370S100-4CONDNS	37/45kw	75A	- 37kW(50HP), 3 Phase, 380~480VAC	36,960,000
LSLV0450S100-4CONDNS	45/55kw	91A	- 45kW(60HP), 3 Phase, 380~480VAC	42,150,000
LSLV0550S100-4CONDNS	55/75kw	110A	- 55kW(75HP), 3 Phase, 380~480VAC	48,260,000
LSLV0750S100-4CONDNS	75/90kw	152A	- 75kW(100HP), 3 Phase, 380~480VAC	52,790,000
LSLV S100 (Protection degree IP66(NEMA4X) 3 Phase 200~230VAC		HD	ND	Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU),Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)
	LSLV0004S100-2EXNNS	0.4/0.75kw	2.5A	- 0.4kW(1/2HP), 3 Phase 200~230VAC
	LSLV0008S100-2EXNNS	0.75/1.5kw	5A	- 0.75kW(1HP), 3 Phase 200~230VAC
	LSLV0015S100-2EXNNS	1.5/2.2kw	8A	- 1.5kW(2HP), 3 Phase 200~230VAC
	LSLV0022S100-2EXNNS	2.2/3.7kw	11A	- 2.2kW(3HP), 3 Phase 200~230VAC
	LSLV0037S100-2EXNNS	3.7/4kw	16A	- 3.7kW(5HP), 3 Phase 200~230VAC
	LSLV0040S100-2EXNNS	4/5.5kw	17A	- 4.0kW(5.4HP), 3 Phase 200~230VAC
	LSLV0055S100-2EXNNS	5.5/7.5kw	24A	- 5.5kW(7.5HP), 3 Phase 200~230VAC
	LSLV0075S100-2EXNNS	7.5/11kw	32A	- 7.5kW(10HP), 3 Phase 200~230VAC
	LSLV0110S100-2EXNNS	11/15kw	46A	- 11kW(15HP), 3 Phase 200~230VAC
	LSLV0150S100-2EXNNS	15/18.5kw	60A	- 15kW(20HP), 3 Phase 200~230VAC
LSLV S100 (Protection degree IP66(NEMA4X) 3 Phase 380~480VAC		HD	ND	Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU),Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)
	LSLV0004S100-4EXNNS	0.4/0.75kw	1.25A	- 0.4kW(1/2HP), 3 Phase, 380~480VAC
	LSLV0008S100-4EXNNS	0.75/1.5kw	2.5A	- 0.75kW(1HP), 3 Phase, 380~480VAC
	LSLV0015S100-4EXNNS	1.5/2.2kw	4A	- 1.5kW(2HP), 3 Phase, 380~480VAC
	LSLV0022S100-4EXNNS	2.2/3.7kw	5.5A	- 2.2kW(3HP), 3 Phase, 380~480VAC
	LSLV0037S100-4EXNNS	3.7/4kw	8A	- 3.7kW(5HP), 3 Phase, 380~480VAC
	LSLV0040S100-4EXNNS	4/5.5kw	9A	- 4.0kW(5.4HP), 3 Phase, 380~480VAC
	LSLV0055S100-4EXNNS	5.5/7.5kw	12A	- 5.5kW(7.5HP), 3 Phase, 380~480VAC
	LSLV0075S100-4EXNNS	7.5/11kw	16A	- 7.5kW(10HP), 3 Phase, 380~480VAC
	LSLV0110S100-4EXNNS	11/15kw	24A	- 11kW(15HP), 3 Phase, 380~480VAC
	LSLV0150S100-4EXNNS	15/18.5kw	30A	- 15kW(20HP), 3 Phase, 380~480VAC
	LSLV0185S100-4EXNNS	18.5/22kw	39A	- 18.5kW(25HP), 3 Phase, 380~480VAC
	LSLV0220S100-4EXNNS	22/30kw	45A	- 22kW(30HP), 3 Phase, 380~480VAC
LSLV S100 options				
	INV,CANOpen(LSLV-S100),CCAN-S100			2,020,000
	INV,Profibus-DP(LSLV-S100),CPDP-S100			3,140,000
	INV,Ethernet(LSLV-S100),CENT-S100			1,800,000

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng		In (A)	Mô tả			Đơn giá (VNĐ)
-						
LSLV0008H100-2CONN	0.75kW	6A	0.75kW(1HP), 3 Phase, 380~480VAC			4,930,000
LSLV0015H100-2CONN	1.5kW	9.6A	1.5kW(2HP), 3 Phase, 380~480VAC			5,250,000
LSLV0022H100-2CONN	2.2kW	12A	2.2kW(3HP), 3 Phase, 380~480VAC			5,920,000
LSLV0037H100-2CONN	3.7kW	18A	3.7kW(5HP), 3 Phase, 380~480VAC			6,660,000
LSLV0055H100-2CONN	5.5kW	22A	5.5kW(7.5HP), 3 Phase, 380~480VAC			8,030,000
LSLV0075H100-2CONN	7.5kW	30A	7.5kW(10HP), 3 Phase, 380~480VAC			9,160,000
LSLV0110H100-2CONN	11kW	42A	11kW(15HP), 3 Phase, 380~480VAC			10,410,000
LSLV0150H100-2CONN	15kW	59A	15kW(20HP), 3 Phase, 380~480VAC			14,010,000
LSLV0185H100-2CONN	18.5kW	69A	18.5kW(25HP), 3 Phase, 380~480VAC			18,210,000
LSLV H100 (Protection degree IP20), 3 Phase 380~480VAC (Dòng mới, thay thế cho IP5A)		HD ND	V/f, RS485(LS Bus / Modbus RTU / BACnet / Metasys N2), Pulse train I/O, RTC(Real Time Clock), Dedicated LCD keypad (HAND/OFF/AUTO), USB Port/ Ứng dụng chuyên cho hệ HVAC, Bom, Quạt...,			
	LSLV0008H100-4COFN	0.75kW	2.4A	0.75kW(1HP), 3 Phase, 380~480VAC		5,210,000
	LSLV0015H100-4COFN	1.5kW	4A	1.5kW(2HP), 3 Phase, 380~480VAC		5,460,000
	LSLV0022H100-4COFN	2.2kW	6A	2.2kW(3HP), 3 Phase, 380~480VAC		5,880,000
	LSLV0037H100-4COFN	3.7kW	8A	3.7kW(5HP), 3 Phase, 380~480VAC		6,560,000
	LSLV0055H100-4COFN	5.5kW	12A	5.5kW(7.5HP), 3 Phase, 380~480VAC		7,420,000
	LSLV0075H100-4COFN	7.5kW	16A	7.5kW(10HP), 3 Phase, 380~480VAC		8,620,000
	LSLV0110H100-4COFN	11kW	24A	11kW(15HP), 3 Phase, 380~480VAC		9,690,000
	LSLV0150H100-4COFN	15kW	30A	15kW(20HP), 3 Phase, 380~480VAC		13,320,000
	LSLV0185H100-4COFN	18.5kW	38A	18.5kW(25HP), 3 Phase, 380~480VAC		15,890,000
	LSLV0220H100-4COFN	22kW	45A	22kW(30HP), 3 Phase, 380~480VAC		20,510,000
	LSLV0300H100-4COFN	30kW	61A	30kW(40HP), 3 Phase, 380~480VAC		24,230,000
	LSLV0370H100-4COND	37kW	75A	37kW(50HP), 3 Phase, 380~480VAC		31,000,000
	LSLV0450H100-4COND	45kW	91A	45kW(60HP), 3 Phase, 380~480VAC		37,290,000
	LSLV0550H100-4COND	55kW	107A	55kW(75HP), 3 Phase, 380~480VAC		43,550,000
	LSLV0750H100-4COND	75kW	142A	75kW(100HP), 3 Phase, 380~480VAC		48,730,000
	LSLV0900H100-4COND	90kW	169A	90kW(125HP), 3 Phase, 380~480VAC		59,160,000
Starvert iS7, 3 pha 380~480VAC		HD ND	Built-in RS485(LS Bus / Modbus RTU)/ Ứng dụng cho các tải nặng như băng tải, máy khuấy, máy nén..., N: Chưa có màn hình, D: Tích hợp DC Reactor, Từ 0.75-22kW tích hợp DBU			

BẢNG GIÁ BIẾN TẦM LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng		In (A)	Mô tả	Đơn giá (VNĐ)						
SV 0008 iS7 - 2 NO FD W										
General specification										
<table border="1"> <thead> <tr> <th>Symbol</th><th>Application</th></tr> </thead> <tbody> <tr> <td>None</td><td>Normal application</td></tr> <tr> <td>W</td><td>Web application</td></tr> </tbody> </table>					Symbol	Application	None	Normal application	W	Web application
Symbol	Application									
None	Normal application									
W	Web application									
SV0008IS7-4NO	0.75/1.5kw	2.5A	4A	0.75kW(1HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz ($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	6,960,000					
SV0015IS7-4NO	1.5/2.2kw	4A	6A	1.5kW(2HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz ($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	7,280,000					
SV0022IS7-4NO	2.2/3.7kw	6A	8A	2.2kW(3HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz ($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	7,630,000					
SV0037IS7-4NO	3.7/4kw	8A	12A	3.7kW(5HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz ($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	7,820,000					
SV0055IS7-4NO	5.5/7.5kw	12A	16A	5.5kW(7.5HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz ($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	8,940,000					
SV0075IS7-4NO	7.5/11kw	16A	24A	7.5kW(10HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz ($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	9,700,000					
SV0110IS7-4NO	11/15kw	24A	30A	11kW(15HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz ($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	14,990,000					
SV0150IS7-4NO	15/18.5kw	30A	39A	15kW(20HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	16,600,000					
SV0185IS7-4NO	18.5/22kw	39A	45A	18.5kW(25HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	20,520,000					
SV0220IS7-4NO	22/30kw	45A	61A	22kW(30HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz ($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	23,260,000					
SV0300IS7-4NO	30/37kw	62A	75A	30kW(40HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz	34,750,000					
SV0370IS7-4NO	37/45kw	75A	91A	37kW(50HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz	37,740,000					
SV0450IS7-4NO	45/55kw	92A	110A	45kW(60HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz	44,640,000					
SV0550IS7-4NO	55/75kw	111A	152A	55kW(75HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz	49,450,000					
SV0750IS7-4NO	75/90kw	152A	183A	75kW(100HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz	58,660,000					
SV0110IS7-4NOFD	11/15kw	24A	30A	11kW(15HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng, bộ lọc EMC, 130kW(20HP) DC	18,830,000					
SV0150IS7-4NOFD	15/18.5kw	30A	39A	15kW(20HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng, bộ lọc EMC, 130kW(20HP) DC	21,490,000					
SV0220IS7-4NOFD	22/30kw	45A	61A	22kW(30HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng, bộ lọc EMC, 22kW(30HP) DC	30,030,000					
SV0300IS7-4NOD	30/37kw	65A	75A	30kW(40HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp cuộn kháng DC	38,620,000					
SV0450IS7-4NOD	45/55kw	91A	110A	45kW(60HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp cuộn kháng DC	50,790,000					
SV0550IS7-4NOD	55/75kw	110A	152A	55kW(75HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp cuộn kháng DC	56,780,000					
SV0750IS7-4NOD	75/90kw	152A	183A	75kW(100HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp cuộn kháng DC	64,380,000					
SV0900IS7-4SOD	90/110kw	183A	223A	90kW(125HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	98,490,000					
SV1100IS7-4SOD	110/132kw	223A	264A	110kW(150HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	104,530,000					
SV1320IS7-4SOD	132/160kw	264A	325A	132kW(175HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	115,840,000					
SV1600IS7-4SOD	160/185kw	325A	370A	160kW(215HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	149,250,000					
SV1850IS7-4SOD	185/220kw	370A	432A	185kW(250HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	202,280,000					
SV2200IS7-4SOD	220/280kw	432A	547A	220kW(300HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz($\pm 5\%$), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	212,930,000					

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng		In (A)	Mô tả	Đơn giá (VNĐ)
SV2800IS7-4SO	285/315kw	547A	613A 280kW(350HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, bàn phím	368,550,000
SV3150IS7-4SO	315/375kw	613A	731A 315kW(400HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, bàn phím	451,900,000
SV3750IS7-4SO	375/450kw	731A	877A 375kW(500HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, bàn phím	485,860,000
Starvert option : iP5A, iG5A, iS7				
	SV-IP5A LCD Key pad		LCD display keypad for iP5A	570,000
	SV-IS7 LCD Key pad		Graphic LCD display keypad for IS7 (128x64 COG, 11 Rubber Key, 3 LED, IP21) Multi Languages (English, Italian, Spanish, German, French, Turkish)	990,000
	Remote 2m (with LCD for SV-IG5A)		2 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)	540,000
	Remote 3m (with LCD for SV-IG5A)		3 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)	600,000
	Remote 5m (with LCD for SV-IG5A)		5 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)	680,000
	Remote cable 2m (for IS7)		2 meter connection cable between inverter and keypad, plus Frame for keypad installation on panel door	260,000
	Remote cable 3m (for IS7)		3 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	280,000
	Remote cable 2m (for IP5A)		2 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	260,000
	Remote cable 3m (for IP5A)		3 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	280,000

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng	In (A)	Mô tả	Đơn giá (VNĐ)
Dynamic Braking Unit (DBU) Bộ Transistor để gắn Điện trở xả vào.			
Dynamic Braking Unit (DBU) - 200~230V			
	LSLV0150DBU-2LN	Brake unit for 15kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	3,200,000
	LSLV0220DBU-2LN	Brake unit for 22kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	3,850,000
	LSLV0370DBU-2LN	Brake unit for 37kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	4,700,000
	LSLV0370DBU-2HN	Brake unit for 37kW, 220V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	10,210,000
	LSLV0750DBU-2LN	Brake unit for 75kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	5,980,000
	LSLV0750DBU-2HN	Brake unit for 75kW, 220V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	16,020,000
	LSLV0900DBU-2HN	Brake unit for 90kW, 220V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	17,950,000
Dynamic Braking Unit (DBU) - 380~400V			
	LSLV0150DBU-4LN	Brake unit for 15kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	3,200,000
	LSLV0220DBU-4LN	Brake unit for 22kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	3,630,000
	LSLV0370DBU-4LN	Brake unit for 37kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	4,530,000
	LSLV0370DBU-4HN	Brake unit for 37kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	10,210,000
	LSLV0750DBU-4LN	Brake unit for 75kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	5,980,000
	LSLV0750DBU-4HN	Brake unit for 75kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	14,530,000
	INV,SV750DB-4	Brake unit for 75kW, 440V / 150% Average Braking Torque / 100%ED (Enable Duty), CE certificated	14,920,000
	LSLV0900DBU-4HN	Brake unit for 90kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	17,950,000
	LSLV1320DBU-4HN	Brake unit for 132kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	19,230,000
	LSLV1600DBU-4HN	Brake unit for 160kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	20,510,000
	LSLV2200DBU-4HN	Brake unit for 220kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	21,790,000
	INV,SV2200DB-4	Brake unit for 220kW, 440V / 150% Average Braking Torque / 100%ED (Enable Duty), CE certificated	21,760,000
External brake resistors (Điện trở xả)		Temperature range: -50~200°C , Insulation resistance: over 100MΩ, Dielectric strength: AC 2,500V / 1 Min, Temperature coefficient: ±260 ppm / °C max	
	MCRA 50W 1.8K OHM J	50 wat, 1800ohm resistor (Based on 5% ED (Enable duty))	110,000
	MCRA 100W 1.2K OHM J	100 wat, 1200ohm resistor (Based on 5% ED (Enable duty))	120,000
	MCRA 200W 1.2K OHM J	200 wat, 1200ohm resistor (Based on 5% ED (Enable duty))	200,000
	MCRA 100W 900 OHM J	100 wat, 900ohm resistor (Based on 5% ED (Enable duty))	120,000
	MCRA 150W 600 OHM J	150 wat, 600ohm resistor (Based on 5% ED (Enable duty))	150,000
	MCRA 200W 450 OHM J	200 wat, 450ohm resistor (Based on 5% ED (Enable duty))	200,000
	MCRA 50W 400 OHM J	50 wat, 400ohm resistor (Based on 5% ED (Enable duty))	110,000
	MCRA 100W 300 OHM J	100 wat, 300ohm resistor (Based on 5% ED (Enable duty))	120,000
	MCRA 200W 300 OHM J	200 wat, 300ohm resistor (Based on 5% ED (Enable duty))	200,000
	MCRA 100W 200 OHM J	100 wat, 200ohm resistor (Based on 5% ED (Enable duty))	120,000
	MCRA 150W 150 OHM J	150 wat, 150ohm resistor (Based on 5% ED (Enable duty))	150,000

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng	In (A)	Mô tả	Đơn giá (VNĐ)
MCRA 200W 100 OHM J	200 wat, 100ohm resistor (Based on 5% ED (Enable duty))		200,000
MCRF 300W 600 OHM J	300 wat, 600ohm resistor (Based on 5% ED (Enable duty))		350,000
MCRF 300W 300 OHM J	300 wat, 300ohm resistor (Based on 5% ED (Enable duty))		350,000
MCRF 600W 300 OHM J	600 wat, 300ohm resistor (Based on 5% ED (Enable duty))		500,000
MCRF 400W 200 OHM J	400 wat, 200ohm resistor (Based on 5% ED (Enable duty))		430,000
MCRF 800W 200 OHM J	800 wat, 200ohm resistor (Based on 5% ED (Enable duty))		560,000
MCRF 300W 150 OHM J	300 wat, 1500ohm resistor (Based on 5% ED (Enable duty))		350,000
MCRF 600W 130 OHM J	600 wat, 130ohm resistor (Based on 5% ED (Enable duty))		500,000
MCRF 1.2kW 130 OHM J	1200 wat, 130ohm resistor (Based on 5% ED (Enable duty))		700,000
MCRF 700W 120 OHM J	700 wat, 120ohm resistor (Based on 5% ED (Enable duty))		550,000
MCRF 1kW 90 OHM J	1000 wat, 90ohm resistor (Based on 5% ED (Enable duty))		600,000
MCRF 1kW 85 OHM J	1000 wat, 85ohm resistor (Based on 5% ED (Enable duty))		600,000
MCRF 2kW 85 OHM J	2000 wat, 85ohm resistor (Based on 5% ED (Enable duty))		1,160,000
MCRF 300W 60 OHM J	300 wat, 60ohm resistor (Based on 5% ED (Enable duty))		350,000
MCRF 600W 60 OHM J	600 wat, 60ohm resistor (Based on 5% ED (Enable duty))		500,000
MCRF 1.2kW 60 OHM J	1200 wat, 60ohm resistor (Based on 5% ED (Enable duty))		700,000
MCRF 400W 50 OHM J	400 wat, 50ohm resistor (Based on 5% ED (Enable duty))		430,000
MCRF 800W 50 OHM J	800 wat, 50ohm resistor (Based on 5% ED (Enable duty))		560,000
MCRF 2kW 45 OHM J	2000 wat, 45ohm resistor (Based on 5% ED (Enable duty))		1,160,000
MCRF 500W 40 OHM J	500 wat, 40ohm resistor (Based on 5% ED (Enable duty))		460,000
MCRF 2kW 40 OHM J	2000 wat, 40ohm resistor (Based on 5% ED (Enable duty))		1,160,000
MCRF 1.6kW 33.9 OHM J	1600 wat, 33.9ohm resistor (Based on 5% ED (Enable duty))		880,000
MCRF 600W 33 OHM J	600 wat, 33ohm resistor (Based on 5% ED (Enable duty))		500,000
MCRF 1.2kW 33 OHM J	1200 wat, 33ohm resistor (Based on 5% ED (Enable duty))		700,000
MCRF 800W 20 OHM J	800 wat, 20ohm resistor (Based on 5% ED (Enable duty))		560,000
MCRF 1.6kW 20 OHM J	1600 wat, 20ohm resistor (Based on 5% ED (Enable duty))		880,000
MCRF 1.2kW 15 OHM J	1200 wat, 15ohm resistor (Based on 5% ED (Enable duty))		700,000
MCRF 1.6kW 8.5 OHM J	1600 wat, 8.5ohm resistor (Based on 5% ED (Enable duty))		880,000
MCRS 2.4kW 60 OHM J	2400 wat, 60ohm resistor (Based on 5% ED (Enable duty))		1,700,000
MCRS 2.4kW 35 OHM J	2400 wat, 35ohm resistor (Based on 5% ED (Enable duty))		1,700,000
MCRS 2.4kW 30 OHM J	2400 wat, 30ohm resistor (Based on 5% ED (Enable duty))		1,700,000
MCRS 2.4kW 22.8 OHM J	2400 wat, 22.8ohm resistor (Based on 5% ED (Enable duty))		1,700,000
MCRS 2.4kW 15 OHM J	2400 wat, 15ohm resistor (Based on 5% ED (Enable duty))		1,700,000
MCRS 2.4kW 10 OHM J	2400 wat, 10ohm resistor (Based on 5% ED (Enable duty))		1,700,000
MCRS 2.4kW 8 OHM J	2400 wat, 8ohm resistor (Based on 5% ED (Enable duty))		1,700,000

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng	In (A)	Mô tả	Đơn giá (VNĐ)
MCRS 2.4kW 5.7 OHM J	2400 wat, 5.7ohm resistor (Based on 5% ED (Enable duty))		1,700,000
Brake resistors (Case package type with thermostat sensor)	Temperature range: -50~200°C , Insulation resistance: over 20MΩ, Dielectric strength: AC 2,500V / 1 Min, Temperature coefficient: ±260 ppm / °C max, Thermostat sensor: B contact		
MCRF-ST 1.2kW 60 OHM J	1200 watt, 60 ohm resistor,		2,320,000
MCRF-ST 2kW 45 OHM J	2000 watt, 45 ohm resistor		2,700,000
MCRF-ST 2kW 40 OHM J	2000 watt, 40 ohm resistor		2,700,000
MCRF-ST 4kW 40 OHM J	4000 watt, 40 ohm resistor		4,560,000
MCRF-ST 2.4kW 35 OHM	2400 watt, 35 ohm resistor		3,180,000
MCRF-ST 1.6kW 33.9 OHM	1600 watt, 33.9 ohm resistor		2,700,000
MCRF-ST 2.4kW 30 OHM J	2400 watt, 30 ohm resistor		3,180,000
MCRF-ST 4.8kW 30 OHM J	4800 watt, 30 ohm resistor		5,460,000
MCRF-ST 2.4kW 22.8 OHM	2400 watt, 30 ohm resistor		3,180,000
MCRF-ST 3.6kW 20 OHM J	3600 watt, 20 ohm resistor		4,030,000
MCRF-ST 7.2kW 20 OHM J	7200 watt, 20 ohm resistor		6,640,000
MCRF-ST 3.2kW 16.9 OHM	3200 watt, 16.9 ohm resistor		4,030,000
MCRF-ST 1.2kW 15 OHM J	1200 watt, 15 ohm resistor		2,320,000
MCRF-ST 5kW 12 OHM J	5000 watt, 12 ohm resistor		5,460,000
MCRF-ST 10kW 12 OHM J	10000 watt, 12 ohm resistor		9,290,000
MCRF-ST 4.8kW 11.4 OHM	4800 watt, 11.4 ohm resistor		5,460,000
MCRF-ST 2.4kW 10 OHM J	2400 watt, 10 ohm resistor		3,180,000
MCRF-ST 4.8kW 10 OHM J	4800 watt, 10 ohm resistor		5,460,000
MCRF-ST 6.4kW 10 OHM J	6400 watt, 10 ohm resistor		6,600,000
MCRF-ST 12.8kW 10 OHM J	12800 watt, 10 ohm resistor		11,840,000
MCRF-ST 1.6kW 8.5 OHM J	1600 watt, 8.5 ohm resistor		2,700,000
MCRF-ST 6.4kW 8.4 OHM J	6400 watt, 8.4 ohm resistor		6,600,000
MCRF-ST 7.2kW 8.4 OHM J	7200 watt, 8.4 ohm resistor		6,640,000

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2017)



Tên hàng	In (A)	Mô tả	Đơn giá (VNĐ)
MCRF-ST 14.4kW 8.4 OHM	14400 watt, 8.4 ohm resistor		12,300,000
MCRF-ST 2.4kW 8 OHM J	2400 watt, 8 ohm resistor		3,180,000
MCRF-ST 4.8kW 8 OHM J	4800 watt, 8 ohm resistor		5,460,000
MCRF-ST 10kW 6 OHM J	10000 watt, 6 ohm resistor		9,290,000
MCRF-ST 20kW 6 OHM J	20000 watt, 6 ohm resistor		17,300,000
MCRF-ST 2.4kW 5.7 OHM J	2400 watt, 5.7 ohm resistor		3,180,000
MCRF-ST 3.6kW 5 OHM J	3600 watt, 5 ohm resistor		4,030,000
MCRF-ST 7.2kW 5 OHM J	7200 watt, 5 ohm resistor		6,640,000
MCRF-ST 13kW 5 OHM J	13000 watt, 5 ohm resistor		11,840,000
MCRF-ST 26kW 5 OHM J	26000 watt, 5 ohm resistor		24,140,000
MCRF-ST 3.2kW 4.2 OHM J	3200 watt, 4.2 ohm resistor		4,030,000
MCRF-ST 16kW 4 OHM J	16000 watt, 4 ohm resistor		15,940,000
MCRF-ST 32kW 4 OHM J	32000 watt, 4 ohm resistor		28,690,000
MCRF-ST 20kW 3.4 OHM J	20000 watt, 3.4 ohm resistor		17,300,000
MCRF-ST 40kW 3.4 OHM J	40000 watt, 3.4 ohm resistor		33,700,000
MCRF-ST 5kW 3 OHM J	5000 watt, 3 ohm resistor		5,460,000
MCRF-ST 10kW 3 OHM J	10000 watt, 3 ohm resistor		9,290,000
MCRF-ST 4.8kW 2.8 OHM J	4800 watt, 2.8 ohm resistor		5,460,000
MCRF-ST 24kW 2.8 OHM J	24000 watt, 2.8 ohm resistor		22,770,000
MCRF-ST 48kW 2.8 OHM J	48000 watt, 2.8 ohm resistor		40,980,000
MCRF-ST 6kW 2.4 OHM J	6000 watt, 2.4 ohm resistor		6,150,000
MCRF-ST 12kW 2.4 OHM J	12000 watt, 2.4 ohm resistor		11,380,000
MCRF-ST 26kW 2.4 OHM J	26000 watt, 2.4 ohm resistor		24,140,000
MCRF-ST 52kW 2.4 OHM J	52000 watt, 2.4 ohm resistor		56,010,000
MCRF-ST 7.5kW 2 OHM J	7500 watt, 2 ohm resistor		7,290,000
MCRF-ST 15kW 2 OHM J	15000 watt, 2 ohm resistor		12,300,000
MCRF-ST 30kW 2 OHM J	30000 watt, 2 ohm resistor		26,180,000
MCRF-ST 60kW 2 OHM J	60000 watt, 2 ohm resistor		59,200,000
MCRF-ST 10kW 1.5 OHM J	10000 watt, 1.5 ohm resistor		9,290,000
MCRF-ST 20kW 1.5 OHM J	20000 watt, 1.5 ohm resistor		17,300,000
MCRF-ST 13kW 1.2 OHM J	13000 watt, 1.2 ohm resistor		11,840,000
MCRF-ST 26kW 1.2 OHM J	26000 watt, 1.2 ohm resistor		24,140,000

- GHI CHÚ:

**HD(Heavy Duty) Overload 150% 1min.

**ND(Normal Duty): Overload 110% or 120% 1min